


**VERELEC**  
chauffage technologie plasma



## What is plasma technology?

Like the sun, **Plasma** technology radiators emit infrared rays to objects and persons which themselves become emitters thereby gradually releasing heat.

This CNRS licenced technology provides excellent **thermal comfort** and is **guaranteed for 10 years** by the manufacturer. These radiators transmit 55% power by radiation consuming from 60 to 80 W/m<sup>2</sup> i.e. **a real energy saving** compared to a conventional convector.

## What are the advantages of this technology?

This type of radiator **considerably reduces air agitation and the risks relating to allergic dust**. The air in the room is evenly heated, no more heat loss at the ceiling, **no more mist on mirrors**. The long range of the infrared action **cleans up walls and expels damp**.

Thermal comfort is pleasant and optimum.

It is extra flat and is as easy to hang as a painting: only two hooks are required. It can be installed horizontally or vertically.

It comes with thermostat and programmer.


It can be installed close to a source of water and in damp area (classified IPX4).

## Environmental-friendly

It is mainly made up of glass and aluminium, with a production technique that is **environmental-friendly**.

The radiator is **98% recyclable**.

It produces **no toxic emissions** or CO<sub>2</sub> and is **also proactive in protecting the ozone layer**.



# Verelec

plasma technology radiators

www.verelec.net



Bring the sun's heat indoors



Manufacturer  
**10**  
years  
warranty

starter +33 (0)4 77 95 27 27

licenced technology  CENTRE NATIONAL DE LA RECHERCHE SCIENTIFIQUE





To fit out  
a living room, bedroom, dining room,  
entrance hall...

Our range of radiators is adapted to **all the rooms of a house** from the entrance hall to the bedroom,  
not forgetting the dining room and the kitchen and even the conservatory.

Our radiators are the mirror image of the perfect harmony of up-to-the-minute technology, eye-catching  
design and elegance.

Select the power rating required from the following range remembering to **provide for 60W to 80W  
per m<sup>2</sup> of surface area** of the room with a ceiling height under 3 metres.

For a room with a greater height or heavily glazed, **provide for 70W to 90W** per m<sup>2</sup> under normal  
thermal insulation conditions.

For a conservatory, **calculate between 80W to 100W per m<sup>2</sup>.**

**Three finishes** of mirror columns:

**bright alu surround, black lacquered and ivory lacquered finish.**

### MIRROR COLUMNS

#### MIRRORS



400W



600W



800W



900W

#### MIRRORS & COLUMNS

#### PANELS

	Bright alu surround	Black surround	Ivory surround	White enamel	Black enamel	White lacquered	Dimensions (height x width x thickness - weight)
400 Watts							61,7 x 61,7 x 4,5 cm - 5 Kg
600 Watts							121,7 x 41,7 x 4,5 cm - 7 Kg
800 Watts							121,7 x 61,7 x 4,5 cm - 11 kg
900 Watts							168,7 x 41,7 x 4,5 cm - 13 Kg

#### ENAMEL PANELS



600W



900W

#### LACQUERED PANELS



900W

decoration  
blending in with your  
interiors:

Another finish is a panel of the same  
dimensions and weight with a **white  
enamel or black enamel finish**  
and the new **white lacquer finish**  
(RAL 9016).

Personalise in another colour with a  
silk screen printed design, with or  
without matching towel drier.

On demand only, please make  
enquiries with us.

Pleasant heat  
throughout the home.



To fit out  
a bath room :

The **towel drying mirror column** range is fully designed to blend in with the  
modern interiors of today's **bathrooms**.

A mirror above your sink that never mists up!

Technology dedicated to comfort and quality.

Choose the power rating from the following range **remembering to provide for  
80W per m<sup>2</sup> of surface area in the room.**

**Three finishes** of mirror columns and towel drying radiators: **bright alu surround,  
black lacquered and ivory lacquered finish.**



### MIRROR COLUMNS TOWEL DRYING RADIATORS



600W



800W




900W

#### TOWEL DRYING COLUMNS

	Bright alu surround	Black surround	Ivory surround	Lacquered Silk screen printed or not	Dimensions (height x width x thickness - weight)
600 Watts					121,7 x 41,7 x 4,5 cm - 7 Kg
800 Watts					121,7 x 61,7 x 4,5 cm - 11 kg
900 Watts					168,7 x 41,7 x 4,5 cm - 13 Kg

#### PERSONALISED PANELS

### PERSONALISED LACQUER FINISH PANELS TOWEL DRYING RADIATORS



600W